

25th XBRL EUROPE DIGITAL WEEK

Online conference

15-18th June 2020



How to keep the audit track with the accounting datas within ESEF

- Nawfal Yassir
- Amelkis
- Member XBRL France
 & XBRL Europe

Introduction

Tagging is not the only main solutions to proceed with iXBRL files generation.

Groups and companies can easily **load accounting** financial information and generate the iXBRL file through a simple mapping **in order to keep a full and clear audit track** and thus having a knowledge from where and how the information is built.


What the issue is?

How to have a strong iterative process

How to understand where the data is coming from

Processus advised

Audit trail



Load your trial balance by making a mapping

Source

ACCOUNT	FLOW	AUDIT	AXIS		
R720	F99	Tous	Tous		









TAXONOMY							
Concept Full IFRS : Produit de l'activité ordinaire							



Mapping



Loading process




Once your mapping is done: load your consolidated trial balance




Example of audit trail

Retrieve



Display your consolidated data




Audit trail:

You can explain exactly from where the amount is coming

	Consolidated income statement									
	(in millions of euros)			Notes	2018	2017 restated				
	Net sales	Net sales				76,000	78,315			
Lo	Loyalty program cost	Net sales : 76,000				x 740)	(642)			
	Net sales net of loyal					,261	77,673			
	Other revenue	R707 : Sales Social package			68 000	,656	2,719			
	Total revenue	R706 : Ser		Social package	16 000	,917	80,392			
	Cost of sales	R708 : Other Social package Total R707 : Sales Intercompany elimination R706 : Services Intercompany elimination			6 000	350)	(62,311)			
	Gross margin from re			Total	90 000	,067	18,081			
	Sales, general and a amortisation7.2			-8 000 -6 000	162)	(15,946)				
	Recurring operating	Total			-14 000	,905	2,135			
	Net income from equ	Unit Millions				14	4			
	Recurring operating i from equity-accounte	Concept ifrs-full_Reven				,919	2,139			
	Non-recurring incom-		,			, . , 161)	(1,162)			

Automatic Tagging > Inline XBRL



Mapping

